



SAMEDI 27⁹+₅

recreational MTB /

“An electric mountain bike? That’s for lazy riders!” That was our initial reaction in any case. And if that’s what you still believe, we strongly encourage you to pedal your way to one of our dealers or

test centers now and discover the potential that these bikes have.

Thanks to the central Bosch Active or Performance motor, the bike’s capacities are

multiplied infinitely. You can climb up (almost) as fast as you can ride back down... and as anyone who has ever tried it knows, downhill riding is a true sport, both physically and mentally.



Samedi 27/9 **Off 1**
2 599 €



Samedi 27/9 **Off 3**



Samedi 27/9 **Trail 3**



Samedi 27/9 **Trail 5**



Samedi 27/9 **FS speed** (45km/h)



Samedi 27 **X2**



Samedi 27 **Off 6**



Samedi 27 **Off 8**



Samedi 27 **Trail 6**



Samedi 27 **Trail 8**



Samedi 27 **Trail 9**



Samedi 27 **Trail Limited**



Samedi 27 **Race 6**



Samedi 27 **Race 8**



Samedi 27 **Race 9**




Samedi 27.5 **Down 5**



Samedi 27.5 **Down 7**





samedi 27/9 Off 1



samedi 27/9 Off 1

**BOSCH
PERFORMANCE**

400 WH

**PURION
DISPLAY**

**9S
14 X 11/34**

KEY POINTS

- 6061 T4 T6 alloy. Extruded variable thickness hydroformed tubes. Optimized weight balance. Tapered head tube.
- Suntour XCR 29" fork with hydraulic lock-out -100 mm travel.
- Differentiated wheel diameters, 27.5" / 29", improving the bike's dynamic behavior and its obstacle-clearing capacities (Size S: 27.5/26).
- 9 speed drivetrain, with specific 14T motor cog, 11/34, Moustache reinforced and forged cranks.
- Shimano hydraulic disc brakes, 180/180 diameter.
- Bosch Performance system with high torque (63Nm). 400Wh battery.


NEW !

- New model
- Performance system 400Wh!
- Purion display
- 9S drivetrain
- Suntour XCR fork hydraulic with lock-out

ACCESSORIES

- Réf **PB-KIT03** | Carrier Set for Samedi 27/9
- Réf **BG-OR001** | Moustache Bag by Ortlieb with QL3 mounting
- Réf **KS-HK001** | Kickstand Adaptor

Frame	6061 T4 T6 alloy - Extruded variable thickness hydroformed tubes - Optimized weight balance - Tapered head tube
Fork	Hydraulic Suntour XCR 29" with lock-out - 100 mm travel
Motor	BOSCH Performance Cruise 250W - 40/63 Nm - Assistance from 50 to 275 % - 25 km/h - 1000 measurements/second - Sporty - Compact
Battery pack	BOSCH Li ION PowerPack 400 - 36v 11.6Ah - 400Wh - Full charge in 3.5 hours - 2.4 kg - 60 % minimum residual capacity after 30,000 km
Range	60 to 160 km at 20 km/h on a flat road (for a 70kg rider) - 400 to 100 km with varied use, depending on mode chosen, wind, gradient, etc.
Display	BOSCH Purion display - 5 modes (Eco, Tour, Sport, Turbo, Off) - Walk assist
Drivetrain	Shimano Acera 9 speed 14x11/34
Shifter	Shimano Rapidfire 9S
Crankset	Exclusives Moustache reinforced and forged alloy cranks - 14T motor cog (=35)
Brakes	Shimano M315 hydraulic disc brakes, 180/180 diameter
Hubs	Shimano - 32 T - Centerlock
Rims	Alex MD21 - Double wall alloy - Reinforcement eyelets - 32 holes - Compatible with tubeless (with flap)
Tires	Schwalbe Nobby Nic
Saddle	Velo ergonomic saddle
Seatpost	Alloy 27.2 x 350
Handlebar	Alloy DB 720 mm - Rise 10 mm - 6°up - 9° back - Stem 55 mm
Pedals	Alloy, wide platform
Guarantee	5 years frame - 2 years fork, motor, battery (or 500 cycles) and accessories
Size	S/41 (1,50 to 1,68 m) - M/47 (1,65 to 1,83 m) - L/53 (1,81 to 1,95 m) approximately
Color	White
Option	
Weight	21,1 kg
Price	



samedi 27/9 Off 3



samedi 27/9 Off 3

**BOSCH
PERFORMANCE**

500 WH

**PURION
DISPLAY**

**10S
14 X 11/42**

KEY POINTS

- 6061 T4 T6 alloy. Extruded variable thickness hydroformed tubes. Optimized weight balance. Tapered head tube.
- Hydraulic RockShox 30 TK29 fork with lock-out. 100 mm travel.
- Differentiated wheel diameters, 27.5" / 29", improving the bike's dynamic behavior and its obstacle-clearing capacities (Size S: 27.5/26).
- Wide range drivetrains, with specific 14T motor cog and 10 speed, 11/42. Moustache reinforced and forged cranks.
- Shimano hydraulic disc brakes, 180/180 diameter.
- Bosch Performance system with high torque (63Nm). 500Wh battery.


NEW !

- Performance system 500Wh!
- Purion display

ACCESSORIES

- Réf **PB-KIT03** | Carrier Set for Samedi 27/9
- Réf **BG-OR001** | Moustache Bag by Ortlieb with QL3 mounting
- Réf **KS-HK001** | Kickstand Adaptor

Frame	6061 T4 T6 alloy - Extruded variable thickness hydroformed tubes - Optimized weight balance - Tapered head tube
Fork	Hydraulic RockShox 30 TK29 fork with lock-out - 100 mm travel
Motor	BOSCH Performance Cruise 250W - 40/63 Nm - Assistance from 50 to 275 % - 25 km/h - 1000 measurements/second - Sporty - Compact
Battery pack	BOSCH Li iON PowerPack 500 Performance - 36v 13.4Ah - 500Wh - Full charge in 4.5 hours, 50% in 2 hours - 2,5 kg - 60 % minimum residual capacity after 30,000 km
Range	80 to 180 km at 20 km/h on a flat road (for a 70kg rider) - 50 to 120 km with varied use, depending on mode chosen, wind, gradient, etc.
Display	BOSCH Purion display - 5 modes (Eco, Tour, Sport, Turbo, Off) - Walk assist
Drivetrain	Sram GX 10 speed 14x11/42, super wide capacity, more range
Shifter	Sram X5 10S
Crankset	Exclusives Moustache reinforced and forged alloy cranks - 14T motor cog (=35)
Brakes	Shimano M395 hydraulic disc brakes, 180/180 diameter
Hubs	Shimano - 32 T - Centerlock
Rims	Alex MD21 - Double wall alloy - Reinforcement eyelets - 32 holes - Compatible with tubeless (with flap)
Tires	Schwalbe Nobby Nic
Saddle	Velo ergonomic saddle
Seatpost	Alloy 27.2 x 350
Handlebar	Alloy DB 720 mm - Rise 10 mm - 6°up - 9° back - Stem 55 mm
Pedals	Alloy, wide platform
Guarantee	5 years frame - 2 years fork, motor, battery (or 500 cycles) and accessories
Size	S/41 (1,50 to 1,68 m) - M/47 (1,65 to 1,83 m) - L/53 (1,81 to 1,95 m) approximately
Color	Titanium
Option	
Weight	21,2 kg
Price	



samedli 27/9 Trail 3



samedi 27/9 Trail 3

**BOSCH
PERFORMANCE
CX**

400 WH

**PURION
DISPLAY**

**10S
14 X 11/42**

KEY POINTS

- 6061 T4 T6 alloy. Hollow alloy/carbon link. 140 mm rear travel. Extruded variable thickness hydroformed tubes. Optimized weight balance. Tapered head tube.
- 140 mm travel for Trail riding. Virtual pivot point suspension design offering neutral pedaling conditions, by eliminating kick-back and bobbing. Hollow alloy/carbon link.
- Specific MOUSTACHE Air Shock. Dynamic control of rebound, Grip Control Evo, for a better traction. Adjustable air pressure and rebound. 200x51.
- Suntour XCR 29" LOR air fork. hydraulic with lock-out. 120 mm travel- Q-lock 15 mm.
- Differentiated wheel diameters, 27.5" / 29", improving the bike's dynamic behavior and its obstacle-clearing capacities.
- Wide range drivetrains, with specific 14T motor cog and 10 speed, 11/42. Moustache reinforced and forged cranks.
- Shimano hydraulic disc brakes, 180/180 diameter.
- Bosch Performance CX system with high torque (75Nm). 400Wh battery.

NEW !

- New model
- Performance CX 400Wh, Purion display
- GX 10S, 11x42 drivetrain!!!
- CNC with industrial bearings hub
- Suntour XCR fork air/oil with lock-out, 15mm axle

ACCESSORIES

Réf **KS-HK002** | Kickstand Adaptor

Frame	6061 T4 T6 alloy - 140mm rear travel - Extruded variable thickness hydroformed tubes - Optimized weight balance - Tapered head tube
Schock absorber	Specific MOUSTACHE Air Shock - Dynamic control of rebound, Grip Control Evo, for a better traction - Adjustable air pressure and rebound - 200x51
Fork	Suntour XCR 29" LOR air - Hydraulic with lock-out - 120 mm travel - 15 mm Q-lock
Motor	BOSCH Performance CX 250W - 40/75 Nm - Assistance from 40 to 300% - 25 km/h - 1000 measurements/second - Powerful - Compact
Battery pack	BOSCH Li ION PowerPack 400 Performance - 36v 11.6Ah - 400Wh - Full charge in 3.5 hours - 2.4 kg - 60 % minimum residual capacity after 30,000 km
Range	40 to 140 km at 20 km/h on a flat road (for a 70kg rider) - 25 to 70 km with varied use, depending on mode chosen, wind, gradient, etc.
Display	BOSCH Purion display - 5 modes (Eco, Tour, Sport, Turbo, Off) - Walk assist
Drivetrain	Sram GX 10 speed 14x11/42, super wide capacity, more range
Shifter	Sram X5 10S
Crankset	Exclusives Moustache reinforced and forged alloy cranks - 14T motor cog (=35)
Brakes	Shimano M395 hydraulic disc brakes, 180/180 diameter
Hubs	Alloy CNC with industrial bearings - Front 15 x 100 - Rear 12 x 142
Rims	Alex MD21- Front 29" - Rear -27.5" - Double wall alloy - Reinforcement eyelets - 32 holes - Compatible with tubeless (with flap)
Tires	Schwalbe Nobby Nic Front 29 x 2.25 - Rear 27.5 x 2.25
Saddle	Velo ergonomic saddle
Seatpost	Alloy 31,6 x 350
Handlebar	Alloy DB 720 mm - Rise 10 mm - 6°up - 9° back - Stem 60 mm
Pedals	Alloy, wide platform
Guarantee	5 years frame - 2 years fork, motor, battery (or 500 cycles) and accessories
Size	41 (1.55 to 1.70 m) - 47 (1.68 to 1.85 m) - 53 (1.83 to 1.95 m) approximately
Color	Titanium
Option	
Weight	22,6 kg
Price	



samedi 27/9 Trail 5



samedi 27/9 Trail 5

**BOSCH
PERFORMANCE
CX**

500 WH

**INTUVIA
DISPLAY**

**11S
14 X 11/46**

KEY POINTS

- 6061 T4 T6 alloy. Hollow alloy/carbon link. 140 mm rear travel. Extruded variable thickness hydroformed tubes. Optimized weight balance. Tapered head tube.
- 140 mm travel for Trail riding. Virtual pivot point suspension design offering neutral pedaling conditions, by eliminating kick-back and bobbing. Hollow alloy/carbon link.
- Specific MOUSTACHE Air Shock. Dynamic control of rebound, Grip Control Evo, for a better traction. Adjustable air pressure and rebound. 200x51.
- RockShox Recon Silver fork with RL 120mm. Motion Control. Solo Air. 29". 15mm.
- Differentiated wheel diameters, 27.5" / 29", improving the bike's dynamic behavior and its obstacle-clearing capacities.
- Wide range drivetrains, with specific 14T motor cog and NX 11 speed, 11/46. Moustache reinforced and forged cranks.
- Shimano hydraulic disc brakes, 180/180 diameter.
- Bosch Performance CX system with high torque (75Nm). 500Wh battery.

NEW !

- 500Wh battery!
- Hubs will be in CNC with industrial bearings
- Recon Silver fork 15mm axle, Motion control
- NX 11S, 11x46 drivetrain!!!

ACCESSORIES

Réf **KS-HK002** | Kickstand Adaptor

Frame	6061 T4 T6 alloy - 140mm rear travel - Extruded variable thickness hydroformed tubes - Optimized weight balance - Tapered head tube
Shock absorber	Specific MOUSTACHE Air Shock - Dynamic control of rebound, Grip Control Evo, for a better traction - Adjustable air pressure and rebound - 200x51
Fork	RockShox Recon Silver RL 120mm - Motion Control - Solo Air - 29" - 15mm
Motor	BOSCH Performance CX 250W - 40/75 Nm - Assistance from 40 to 300% - 25 km/h - 1000 measurements/second - Powerful - Compact
Battery pack	BOSCH Li ION PowerPack 500 Performance - 36v 13.4Ah - 500Wh - Full charge in 4.5 hours, 50% in 2 hours - 2,5 kg - 60 % minimum residual capacity after 30,000 km
Range	50 to 160 km at 20 km/h on a flat road (for a 70kg rider) - 30 to 80 km with varied use, depending on mode chosen, wind, gradient, etc.
Display	BOSCH Intuvia central with separate control unit - 5 modes (Eco, Tour, Sport, Turbo, Off) - Walk assist - Information available offline - USB port to recharge MP3 player, mobile phone, etc.
Drivetrain	Sram NX 11 speed 14x11/46, super wide capacity, bigger range!
Shifter	Sram NX 11S
Crankset	Exclusives Moustache reinforced and forged alloy cranks - 14T motor cog (=35)
Brakes	Shimano M395 hydraulic disc brakes, 180/180 diameter
Hubs	Alloy CNC with industrial bearings - Front 15 x 100 - Rear 12 x 142
Rims	Alex MD21- Front 29" - Rear -27.5" - Double wall alloy - Reinforcement eyelets - 32 holes - Compatible with tubeless (with flap)
Tires	Schwalbe Nobby Nic Front 29 x 2.25 - Rear 27.5 x 2.25
Saddle	Velo ergonomic saddle
Seatpost	Alloy 31,6 x 350
Handlebar	Alloy DB 720 mm - Rise 10 mm - 6°up - 9° back - Stem 60 mm
Pedals	Alloy, wide platform
Guarantee	5 years frame - 2 years fork, motor, battery (or 500 cycles) and accessories
Size	41 (1.55 to 1.70 m) - 47 (1.68 to 1.85 m) - 53 (1.83 to 1.95 m) approximately
Color	Orange
Option	
Weight	22,3 kg
Price	



samedi 27/9 For Speed



samedi 27/9 FS Speed

**BOSCH
PERFORMANCE
SPEED**

500 WH

**INTUVIA
DISPLAY**

**10S
17 X 11/42**

KEY POINTS


- 6061 T4 T6 alloy. Hollow alloy/carbon link. 140 mm rear travel. Extruded variable thickness hydroformed tubes. Optimized weight balance. Tapered head tube.
- 130 mm front, 140 mm rear travel for Trail ridding, Virtual pivot point suspension design offering neutral pedaling conditions, by eliminating kick-back and bobbing. Hollow alloy/carbon link.
- Specific MOUSTACHE Air Shock. 2-position Platform. Dynamic control of rebound, Grip Control Evo, for a better traction. Adjustable air pressure and rebound. 200x51.
- Fox Float 34 Evolution CTD 130 mm. Approved for 45 km/h.
- Differentiated wheel diameters, 27.5" / 29", improving the bike's dynamic behavior and its obstacle-clearing capacities.
- Wide range drivetrains, with specific 14T motor cog and 10 speed, 11/42. Moustache reinforced and forged cranks.
- Magura MT4 brakes 180/180. Approved for 45 km/h.
- Bosch Performance Speed high power system (350W). 500Wh battery.

NEW !

- Stable model

ACCESSORIES

Frame	6061 T4 T6 alloy - 140 mm travel - Extruded Variable thickness hydroformed tubes - Optimized weight balance - Hollow alloy/carbon link - Tapered head tube
Schock absorber	Specific MOUSTACHE Air Shock - 2-position Platform - Dynamic control of rebound, Grip Control Evo, for a better traction - Adjustable air pressure and rebound - 200x51
Fork	Fox Float 34 Evolution CTD 130 mm - Approved for 45 km/h
Motor	BOSCH Performance Speed 350W - 40/60 Nm - Assistance from 50 to 275 % - 45 km/h - 1000 measurements/second - Sporty - Compact
Battery pack	BOSCH Li ION PowerPack 500 Performance - 36v 13.4Ah - 500Wh - Full charge in 4.5 hours, 50% in 2 hours - 2,5 kg - 60 % minimum residual capacity after 30,000 km
Range	50 to 140 km at 20 km/h on a flat road (for a 70kg rider) - 30 to 80 km with varied use, depending on mode chosen, wind, gradient, etc.
Display	BOSCH Intuvia central with separate control unit - 5 modes (Eco, Tour, Sport, Turbo, Off) - Walk assist - Information available offline - USB port to recharge MP3 player, mobile phone, etc.
Drivetrain	Sram GX 10 speed 17x11/42, super wide capacity, more range
Shifter	Sram X5 10S
Crankset	Alloy cranks / 17T motor cog (=42)
Brakes	Magura MT4 hydraulic disc brakes 180/180 - Approved for 45 km/h
Hubs	Alloy CNC with industrial bearings - Front 15 mm - Rear 12x142mm
Rims	Alex MD25- Front 29" - Rear-27.5" - Double wall alloy - Reinforcement eyelets - 32 holes - Compatible with tubeless (with flap)
Tires	Schwalbe Smart Sam Plus - AV 29 x 2.25 - AR 27.5 x 2.25 - Approved for 45 km/h
Saddle	Velo ergonomic saddle
Seatpost	Drop Seat Post - Hydraulic, Remote lever - 31,6x315 travel 60 mm (S) - 31,6x380 travel 125 mm (M+L)
Handlebar	Alloy DB 720 mm - Rize 10 mm - 6°up - 9° back - Stem 60 mm
Pedals	Alloy, wide platform
Guarantee	5 years frame - 2 years fork, motor, battery (or 500 cycles) and accessories
Size	41 (1.55 to 1.70 m) - 47 (1.68 to 1.85 m) - 53 (1.83 to 1.95 m) approximately
Color	Black
Option	
Weight	23,9 kg
Price	



samedi 27 X2



samedi 27 X2

**BOSCH
PERFORMANCE
CX**

**1000 WH
(2 X 500 WH)**

**INTUVIA
DISPLAY**

**11S
14 X 11/42**

KEY POINTS


- 6061 T4 T6 alloy frame. Extruded variable thickness hydroformed tubes. Rear motor. Tapered head tube. 27.5 Plus. Boost.
- The rear motor allows synchronizing the cranks and a better combination of power!
- Dual batteries : 2 x 500Wh
- RockShox Yari RC fork 140mm. Motion Control. Solo Air. 27.5 Plus. 15mm Boost.
- 27.5+ wheels for added comfort and grip. Welded rims, asymmetric, Moustache specific 35 mm, compatible with tubeless. Maxxis tires. Strong, grippy, and dynamic.
- NX 11 speed, wide range drivetrain, with specific 14T sprockets, 11/42. Moustache synchronized, forged, reinforced cranks. Specific for tandem.
- Magura MT5 brakes with 4 pistons Front/Rear 200 mm.
- Bosch Performance CX system, with high torque (75Nm). Dual batteries 500Wh, specific Y wire to couple the 2 batteries.

NEW !

- New model
- Dual batteries : 2 x 500Wh !!!
- Rear motor with synchronized cranks
- NX 11S, 11x42 drivetrain
- Maxxis tires 27.5x2.8
- Yari RC Air fork 140 mm

ACCESSORIES

Frame	6061 T4 T6 alloy - Extruded variable thickness hydroformed tubes - Rear motor - Tapered head tube - 27.5 Plus - Boost
Fork	RockShox Yari RC 140mm - Motion Control - Solo Air - 27.5 Plus - 15mm Boost
Motor	BOSCH Performance CX 250W - 40/75 Nm - Assistance from 50 to 300 % - 25 km/h - 1000 measurements/second - Powerful - Compact
Battery Pack	Dual batteries BOSCH Li ION PowerPack 500 - 36v 13,8Ah - 500Wh - Full charge in 4.5, 50% in 2h - 2,5 kg - 60 % minimum residual capacity after 30,000 km - Total : 1000Wh
Range	With 2 batteries, 60 to 120 km with varied used, depending on mode chosen, wind, gradient, etc.
Display	BOSCH Intuvia central with separate control unit - 5 modes (Eco, Tour, Sport, Turbo, Off) - Walk assist - Information available offline - USB port to recharge MP3 player, mobile phone, etc.
Drivetrain	Sram NX 11 speed 14x11/42, super wide capacity, more range!
Shifter	Sram NX 11S
Crankset	Moustache forged alloy cranks specific for Tandem, Front: 175 mm, Rear: 170mm, synchronized - 14T motor cog (=35) - Timing chainrings narrow/wide 36T
Brakes	Magura MT5 hydraulic disc brakes, 4 pistons 200/200
Hub	Alloy CNC with industrial bearings - Boost - Front: 15x110 mm - Rear: 12x148mm
Rims	Exclusives Moustache 27.5" - 35mm - Asymmetric - Double wall alloy - Welded - Compatible with tubeless (with flap) - 32 holes
Tires	MAXXIS REKON 27.5x2.8 - Tubeless Ready - Dual density - Exo protection
Saddle	Velo ergonomic saddle
Seatpost	Front: alloy 31,6x350 - Rear: Suntour NCX - Super comfortable alloy suspension parallelogram - 27,2 x 350 + 31,6/27,2 post shim converter
Handlebar	Front: Alloy 760 mm - Rise 25 mm - Stem 55 mm - Rear: Alloy 680 mm - Rise 25 mm - Adjustable stem 155/200
Pedals	Alloy, wide platform
Guarantee	5 years frame - 2 years fork, motor, battery (or 500 cycles) and accessories
Size	Front : 51 (1,72 to 1,95 m) approximately - Rear : 42 (1,50 to 1,85 m) approximately
Color	Orange
Options	Touring option : Schwalbe SuperMoto-X tires 27.5x 2.35 Carrier, mudguards
Weight	29,9 kg
Price	



samedi 27 Off 6



samedi 27 Off 6

**BOSCH
PERFORMANCE
CX**

**500 WH
INTEGRATED**

**INTUVIA
DISPLAY**

**11S
14 X 11/46**

KEY POINTS

- 6061 T4 T6 alloy. Variable thickness hydroformed tubes. Hidden Power Technology. Tapered head tube. 27.5 Plus. Boost.
- RockShox Recon Silver RL fork with 120mm travel. Motion Control. Solo Air. 27.5 Plus. 15mm Boost
- 27.5+ wheels for added comfort and grip. Welded rims, asymmetric, Moustache specific 35 mm, compatible with tubeless. Maxxis tires. Strong, grippy, and dynamic.
- Bosch Performance CX system with high torque (75Nm). Integrated 500Wh battery.
- Wide range drivetrains, with specific 14T motor cog and NX 11 speed, 11/46. Moustache reinforced and forged cranks.
- Magura MT4 brakes 180 mm, 2 pistons, powerful and resistant.

NEW !

- New model
- Integrated battery !!!
- Never-before-seen frame technology Extreme hydroforming
- NX 11S, 11x46 drivetrain !!!
- Improved weight balance
- Maxxis tires 27.5x2.8
- Recon Silver Solo Air fork 120 mm, Boost

ACCESSORIES

Réf **BC-M0001** | Bottle Cage Moustache - Lateral Extraction

Frame	6061 T4 T6 alloy - Variable thickness hydroformed tubes - Hidden Power Technology - Tapered head tube - 27.5 Plus - Boost
Fork	RockShox Recon Silver RL 120mm - Motion Control - Solo Air - 27.5 Plus - 15mm Boost
Motor	BOSCH Performance CX 250W - 40/75 Nm - Assistance from 40 to 300% - 25 km/h - 1000 measurements/second - Powerful - Compact
Battery pack	Integrated BOSCH Li ION PowerPack 500 - 36v 13,8Ah - 500Wh - Full charge in 4.5 hours, 50% in 2 hours - 2,5 kg - 60 % minimum residual capacity after 30,000 km
Range	50 to 160 km at 20 km/h on a flat road (for a 70kg rider) - 30 to 80 km with varied use, depending on mode chosen, wind, gradient, etc.
Display	BOSCH Intuvia central with separate control unit - 5 modes (Eco, Tour, Sport, Turbo, Off) - Walk assist - Information available offline - USB port to recharge MP3 player, mobile phone, etc.
Drivetrain	Sram NX 11 speed 14x11/46, super wide capacity, bigger range!
Shifter	Sram NX 11S
Crankset	Exclusives Moustache reinforced and forged alloy cranks - 14T motor cog (=35)
Brakes	Magura MT4 hydraulic disc brakes, 180/180 diameter
Hubs	Alloy CNC with industrial bearings - Boost - Front 15x110 mm - Rear 12x148mm
Rims	Exclusives Moustache 27.5" - 35mm - Asymmetric - Double wall alloy - Welded - Compatible with tubeless (with flap) - 32 holes
Tires	MAXXIS REKON 27.5x2.8 - Tubeless Ready - Dual density - Exo protection
Saddle	Velo ergonomic saddle
Seatpost	3D forged alloy 31.6 x 350
Handlebar	Alloy DB 760 mm - Rise 12 mm - 6°up - 9° back - Stem 55 mm
Pedals	Alloy, wide platform
Guarantee	5 years frame - 2 years fork, motor, battery (or 500 cycles) and accessories
Size	S/40 (1,50 to 1,68 m) - M/46 (1,65 to 1,83 m) - L/52 (1,81 to 1,95 m) approximately
Color	Silver
Option	
Weight	21,2 kg (tubeless)
Price	



samed 27 Of 8



samedi 27 Off 8

**BOSCH
PERFORMANCE
CX**

**500 WH
INTEGRATED**

**INTUVIA
DISPLAY**

**11S
14 X 11/46**

KEY POINTS

- 6061 T4 T6 alloy. Variable thickness hydroformed tubes. Hidden Power Technology. Tapered head tube. 27.5 Plus. Boost
- RockShox Yari RC fork with 130mm. Motion Control. Solo Air. 27.5 Plus. 15mm Boost.
- 27.5+ wheels for added comfort and grip. Welded rims, asymmetric, Moustache specific 35 mm,
- compatible with tubeless. Maxxis tires. Strong, grippy, and dynamic.
- Bosch Performance CX system with high torque (75Nm). Integrated 500Wh battery.
- Wide range drivetrains, with specific 14T motor cog and Sram 11S, 11/46. Moustache reinforced and forged cranks.
- Front: Magura MT4 brakes 200, Rear: 180 mm, 2 pistons, powerful and resistant.


NEW !

- New model
- Integrated battery!!!
- Never-before-seen frame technology. Extreme hydroforming
- GX 11S, 11x46 drivetrain!!!
- Improved weight balance
- Maxxis tires 27.5x2.8
- Yari RC Air fork 130 mm

ACCESSORIES

Réf **BC-M0001** | Bottle Cage Moustache - Lateral Extraction

Frame	6061 T4 T6 alloy - Variable thickness hydroformed tubes - Hidden Power Technology - Tapered head tube - 27.5 Plus - Boost
Fork	RockShox Yari RC 130mm - Motion Control - Solo Air - 27.5 Plus - 15mm Boost
Motor	BOSCH Performance CX 250W - 40/75 Nm - Assistance from 40 to 300% - 25 km/h - 1000 measurements/second - Powerful - Compact
Battery pack	Integrated BOSCH Li ION PowerPack 500 - 36v 13,8Ah - 500Wh - Full charge in 4.5 hours, 50% in 2 hours - 2,5 kg - 60 % minimum residual capacity after 30,000 km
Range	50 to 160 km at 20 km/h on a flat road (for a 70kg rider) - 30 to 80 km with varied use, depending on mode chosen, wind, gradient, etc.
Display	BOSCH Intuvia central with separate control unit - 5 modes (Eco, Tour, Sport, Turbo, Off) - Walk assist - Information available offline - USB port to recharge MP3 player, mobile phone, etc.
Drivetrain	Sram GX 11 speed 14x11/46, super wide capacity, more range
Shifter	Sram GX 11V
Crankset	Exclusives Moustache reinforced and forged alloy cranks - 14T motor cog (=35)
Brakes	Magura MT4 hydraulic disc brakes, 200/180 diameter
Hubs	Alloy CNC with industrial bearings - Boost - Front 15x110 mm - Rear 12x148mm
Rims	Exclusives Moustache 27.5" - 35mm - Asymmetric - Double wall alloy - Welded - Compatible with tubeless (with flap) - 32 holes
Tires	MAXXIS REKON 27.5x2.8 - Tubeless Ready - Dual density - Exo protection
Saddle	Velo ergonomic saddle
Seatpost	Drop Seat Post - JD YSP03, Remote lever - 31,6 x 380 travel 120 mm
Handlebar	Alloy DB 760 mm - Rise 12 mm - 6°up - 9° back - Stem 55 mm
Pedals	Alloy, wide platform
Guarantee	5 years frame - 2 years fork, motor, battery (or 500 cycles) and accessories
Size	S/40 (1,50 to 1,68 m) - M/46 (1,65 to 1,83 m) - L/52 (1,81 to 1,95 m) approximately
Color	Black
Option	
Weight	21,0 kg (tubeless)
Price	



samedi 27 Trail 6



samedi 27 Trail 6

**BOSCH
PERFORMANCE
CX**

**500 WH
INTEGRATED**

**INTUVIA
DISPLAY**

**11S
14 X 11/46**

KEY POINTS

- 6061 T4 T6 alloy. Hollow alloy/carbon link. 140 mm rear travel. Variable thickness hydroformed tubes. Hidden Power Technology. Tapered head tube. 27.5 Plus. Boost.
- Virtual pivot point Trail2 suspension design offering neutral pedaling conditions. New hollow alloy/carbon link, more progressiveness. 140mm travel.
- Specific MOUSTACHE Air Shock. 2-position Platform. Dynamic control of rebound, Grip Control Evo,
- for a better traction. Adjustable air pressure and rebound. 200x51.
- Suntour AION 35 RL. ebike optimized. Hydraulic with lock-out. 140 mm travel. 27.5 Plus. Boost. 15 mm Q-lock.
- 27.5+ wheels for added comfort and grip. Welded rims, asymmetric, Moustache specific 35 mm, compatible with tubeless. Maxxis tires. Strong, grippy, and dynamic.
- Wide range drivetrains, with specific 14T motor cog and NX 11 speed, 11/46. Moustache reinforced and forged cranks.
- Magura MT4 brakes 180 mm, 2 pistons, powerful and resistant.
- Bosch Performance CX system with high torque (75Nm). Integrated 500Wh battery.


NEW !

- New model
- Integrated battery!!!
- Never-before-seen frame technology. Extreme hydroforming
- New and more neutral kinematic, improved sensibility and progressiveness
- Dynamic control of rebound, optimized Grip control, more efficient and more comfort
- NX 11S, 11x46 drivetrain!!!
- Improved weight balance
- Maxxis tires 27.5x2.8
- Boost
- SR fork 140 mm, specific ebike, reinforced stanchions 35mm diameter
- Specific Moustache rims 35 mm, welded, asymmetric, easier tubeless mounting

ACCESSORIES

Réf **BC-M0001** | Bottle Cage Moustache - Lateral Extraction

Frame	6061 T4 T6 alloy - 140mm rear travel - Variable thickness hydroformed tubes - Hidden Power Technology - Hollow alloy/carbon link - Tapered head tube - 27.5 Plus - Boost
Shock absorber	Specific MOUSTACHE Air Shock - 2-position Platform - Dynamic control of rebound, Grip Control Evo, for a better traction - Adjustable air pressure and rebound - 200x51
Fork	Suntour AION 35 RL - ebike optimized - Hydraulic with lock-out - 140 mm travel - 27.5 Plus - Boost - 15 mm Q-lock
Motor	BOSCH Performance CX 250W - 40/75 Nm - Assistance from 40 to 300% - 25 km/h - 1000 measurements/second - Powerful - Compact
Battery pack	Integrated BOSCH Li ION PowerPack 500 - 36v 13,8Ah - 500Wh - Full charge in 4.5 hours, 50% in 2 hours - 2,5 kg - 60 % minimum residual capacity after 30,000 km
Range	50 to 160 km at 20 km/h on a flat road (for a 70kg rider) - 30 to 80 km with varied use, depending on mode chosen, wind, gradient, etc.
Display	BOSCH Intuvia central with separate control unit - 5 modes (Eco, Tour, Sport, Turbo, Off) - Walk assist - Information available offline - USB port to recharge MP3 player, mobile phone, etc.
Drivetrain	Sram NX 11 speed 14x11/46, super wide capacity, bigger range!
Shifter	Sram NX 11S
Crankset	Exclusives Moustache reinforced and forged alloy cranks - 14T motor cog (=35)
Brakes	Magura MT4 hydraulic disc brakes, 180/180 diameter
Hubs	Alloy CNC with industrial bearings - Boost - Front 15 x110 - Rear 12 x 148
Rims	Exclusives Moustache 27.5" - 35mm - Asymmetric - Double wall alloy - Welded - Compatible with tubeless (with flap) - 32 holes
Tires	MAXXIS REKON 27.5x2.8 - Tubeless Ready - Dual density - Exo protection
Saddle	Velo ergonomic saddle
Seatpost	Drop Seat Post - JD YSP03, Remote lever - 31,6 x 380 travel 120 mm
Handlebar	Alloy DB 760 mm - Rise 12 mm - 6°up - 9° back - 3D forged stem 60 mm
Pedals	Alloy, wide platform
Guarantee	5 years frame - 2 years fork, motor, battery (or 500 cycles) and accessories
Size	40 (1,55 to 1,70 m) - 44 (1,68 to 1,85 m) - 50 (1,83 to 1,95 m) approximately
Color	Titanium
Option	
Weight	22,7 kg (tubeless)
Price	



samedi 27 Trail 8



samedi 27 Trail 8

**BOSCH
PERFORMANCE
CX**

**500 WH
INTEGRATED**

**INTUVIA
DISPLAY**

**11S
14 X 11/46**

KEY POINTS

- 6061 T4 T6 alloy. Hollow alloy/carbon link. 140 mm travel. Variable thickness hydroformed tubes. Hidden Power Technology. Tapered head tube. 27.5 Plus. Boost.
- Virtual pivot point Trail2 suspension design offering neutral pedaling conditions. New hollow alloy/carbon link, more progressiveness. 140mm travel.
- Specific MOUSTACHE Air Shock. 2-position Platform. Dynamic control of rebound, Grip Control Evo, for a better traction. Adjustable air pressure and rebound. 200x51.
- Fox 34 Float Performance 140 mm. ebike optimized. 27.5 Plus. 15mm Boost.
- 27.5+ wheels for added comfort and grip. Welded rims, asymmetric, Moustache specific 35 mm, compatible with tubeless. Maxxis tires. Strong, grippy, and dynamic.
- Wide range drivetrains, with specific 14T motor cog and Sram GX 11 speed, 11/46. Moustache reinforced and forged cranks.
- Front: Magura MT4 brakes 200 mm front, 180 mm rear, 2 pistons, powerful and resistant.
- Bosch Performance CX system with high torque (75Nm). Integrated 500Wh battery.


NEW !

- New model
- Integrated battery!!!
- Never-before-seen frame technology. Extreme hydroforming
- New and more neutral kinematic, improved sensibility and progressiveness
- Dynamic control of rebound, optimized Grip control, more efficient and more comfort
- GX 11S, 11x46 drivetrain!!!
- Improved weight balance
- Maxxis tires 27.5x2.8
- Boost
- New Fox 34 Performance fork, 140 mm, ebike optimized.
- Specific Moustache rims 35 mm, welded, asymmetric, easier tubeless mounting

ACCESSORIES

Réf **BC-M0001** | Bottle Cage Moustache - Lateral Extraction

Frame	6061 T4 T6 alloy - 140mm rear travel - Variable thickness hydroformed tubes - Hidden Power Technology - Hollow alloy/carbon link - Tapered head tube - 27.5 Plus - Boost
Shock absorber	Specific MOUSTACHE Air Shock - 2-position Platform - Dynamic control of rebound, Grip Control Evo, for a better traction - Adjustable air pressure and rebound - 200x51
Fork	Fox 34 Float Performance 140 mm - ebike optimized - 27.5 Plus - 15mm Boost
Motor	BOSCH Performance CX 250W - 40/75 Nm - Assistance from 40 to 300% - 25 km/h - 1000 measurements/second - Powerful - Compact
Battery pack	Integrated BOSCH Li ION PowerPack 500 - 36v 13,8Ah - 500Wh - Full charge in 4.5 hours, 50% in 2 hours - 2,5 kg - 60 % minimum residual capacity after 30,000 km
Range	50 to 160 km at 20 km/h on a flat road (for a 70kg rider) - 30 to 80 km with varied use, depending on mode chosen, wind, gradient, etc.
Display	BOSCH Intuvia central with separate control unit - 5 modes (Eco, Tour, Sport, Turbo, Off) - Walk assist - Information available offline - USB port to recharge MP3 player, mobile phone, etc.
Drivetrain	Sram GX 11 speed 14x11/46, super wide capacity, more range
Shifter	Sram GX 11V
Crankset	Exclusives Moustache reinforced and forged alloy cranks - 14T motor cog (=35)
Brakes	Magura MT4 hydraulic disc brakes, 200/180 diameter
Hubs	Alloy CNC with industrial bearings - Boost - Front 15 x 110 - Rear 12 x 148
Rims	Exclusives Moustache 27.5" - 35mm - Asymmetric - Double wall alloy - Welded - Compatible with tubeless (with flap) - 32 holes
Tires	MAXXIS REKON 27.5x2.8 - Tubeless Ready - Dual density - Exo protection
Saddle	Velo ergonomic saddle
Seatpost	Drop Seat Post - JD YSP03, Remote lever - 31,6 x 380 travel 120 mm
Handlebar	Alloy DB 760 mm - Rise 12 mm - 6°up - 9° back - 3D forged stem 60 mm
Pedals	Alloy, wide platform
Guarantee	5 years frame - 2 years fork, motor, battery (or 500 cycles) and accessories
Size	40 (1,55 to 1,70 m) - 44 (1,68 to 1,85 m) - 50 (1,83 to 1,95 m) approximately
Color	
Option	
Weight	22,4 kg (tubeless)
Price	



samedi 27 Trail 9



samedi 27 Trail 9

**BOSCH
PERFORMANCE
CX**

**500 WH
INTEGRATED**

**INTUVIA
DISPLAY**

**11S
14 X 11/46**

KEY POINTS

- Frame **JUST CARBON** technology, Toray T700 fibres. Variable thickness hydroformed aluminium Rear Triangle. 140 mm travel. Hidden Power Technology. Hollow alloy/carbon link. 140 mm travel. Tapered head tube. 27.5 Plus. Boost.
- Virtual pivot point Trail2 suspension design offering neutral pedaling conditions. New hollow alloy/carbon link, more progressiveness. 140mm travel.
- Specific MOUSTACHE Air Shock. 2-position Platform. Dynamic control of rebound, Grip Control Evo, for a better traction. Adjustable air pressure and rebound. 200x51.
- Fox 34 Float Performance 140 mm. ebike optimized. 27.5 Plus. 15mm Boost.
- 27.5+ wheels for added comfort and grip. Welded rims, asymmetric, Moustache specific 35 mm, compatible with tubeless. Maxxis tires. Strong, grippy, and dynamic.
- Wide range drivetrains, with specific 14T motor cog and XO1 11 speed, 11/46. Moustache reinforced and forged cranks.
- Front: Sram Guide RE brakes 200 mm front, 180 mm rear, specific ebike, powerful and resistant.
- Bosch Performance CX system with high torque (75Nm). Integrated 500Wh battery.

NEW !

- New model
- Integrated battery !!!
- Carbon frame.
- New and more neutral kinematic, improved sensibility and progressiveness
- Dynamic control of rebound, optimized Grip control, more efficient and more comfort
- XO1 11S, 11x46 drivetrain!!!
- Improved weight balance
- Maxxis tires 27.5x2.8
- Boost
- New Fox 34 Performance fork, 140 mm, ebike optimized.
- Specific Moustache rims 35 mm, welded, asymmetric, easier tubeless mounting

ACCESSORIES

Réf **BC-M0001** | Bottle Cage Moustache - Lateral Extraction

Frame	Frame JUST CARBON technology, Toray T700 fibres - Variable thickness hydroformed aluminium Rear Triangle - 140mm travel - Hidden Power Technology - Hollow alloy/carbon link - Tapered head tube - 27.5 Plus - Boost
Schock absorber	Specific MOUSTACHE Air Shock - 2-position Platform - Dynamic control of rebound, Grip Control Evo, for a better traction - Adjustable air pressure and rebound - 200x51
Fork	Fox 34 Float Performance 140 mm - ebike optimized - 27.5 Plus - 15mm Boost
Motor	BOSCH Performance CX 250W - 40/75 Nm - Assistance from 40 to 300% - 25 km/h - 1000 measurements/second - Powerful - Compact
Battery pack	Integrated BOSCH Li ION PowerPack 500 - 36v 13,8Ah - 500Wh - Full charge in 4.5 hours, 50% in 2 hours - 2,5 kg - 60 % minimum residual capacity after 30,000 km
Range	50 to 160 km at 20 km/h on a flat road (for a 70kg rider) - 30 to 80 km with varied use, depending on mode chosen, wind, gradient, etc.
Display	BOSCH Intuvia central with separate control unit - 5 modes (Eco, Tour, Sport, Turbo, Off) - Walk assist - Information available offline - USB port to recharge MP3 player, mobile phone, etc.
Drivetrain	Sram XO1 11 speed 14x11/46, super wide capacity, bigger range!
Shifter	Sram GX 11V
Crankset	Exclusives Moustache reinforced and forged alloy cranks - 14T motor cog (=35)
Brakes	Sram Guide RE hydraulic disc brakes, 200/180 diameter
Hubs	Alloy CNC with industrial bearings - Boost - Front 15 x110 - Rear 12 x 148
Rims	Exclusives Moustache 27.5" - 35mm - Asymmetric - Double wall alloy - Welded - Compatible with tubeless (with flap) - 32 holes
Tires	MAXXIS REKON 27.5x2.8 - Tubeless Ready - Dual density - Exo protection
Saddle	FIZIK Tundra 2 Mg
Seatpost	Drop Seat Post - Hydraulic, Remote lever - 31,6x315 travel 60 mm (S) - 31,6x380 travel 125 mm (M+L)
Handlebar	Alloy DB 760mm - Rise 12 mm - 6°up - 9° back - Stem CNC 60 mm
Pedals	Alloy, wide platform
Guarantee	5 years frame - 2 years fork, motor, battery (or 500 cycles) and accessories
Size	40 (1,55 to 1,70 m) - 44 (1,68 to 1,85 m) - 50 (1,83 to 1,95 m) approximately
Color	Carbon
Option	
Weight	21,1 kg (tubeless)
Price	



samedi 27/9 Trail Limited



samedi 27/9 Trail Limited

**BOSCH
PERFORMANCE
CX**

**500 WH
INTEGRATED**

**INTUVIA
DISPLAY**

**12S
14 X 10/50**

KEY POINTS

- Frame **JUST CARBON** technology, Toray T700 fibres. Variable thickness hydroformed aluminium Rear Triangle. 140mm travel. Hidden Power Technology. Tapered head tube. 27.5 Plus. Boost.
- Virtual pivot point Trail2 suspension design offering neutral pedaling conditions. New hollow alloy/carbon link, more progressiveness. 140mm travel.
- Specific MOUSTACHE Air Shock. 2-position Platform. Dynamic control of rebound, Grip Control Evo, for a better traction. Adjustable air pressure and rebound. 200x51.
- Rock Shox RS1 Carbon 120 mm. Remote Lock out. 1.5T. 15mm.
- DT Carbon XMC1200 differentiated wheel diameters 27.5" / 29", improving the bike's dynamic behavior and its obstacle-clearing capacities. Tires Schwalbe Nobby Nic Front 29 x 2.35 - Rear 27.5 x 2.35.
- XX1 Eagle 12 speed drivetrain, super wide capacity, specific 14T sprockets, 10/50. Moustache reinforced and forged cranks.
- Magura MT6 brakes 180mm, 2 pistons, Carbotexture, light, powerful and resistant.
- Bosch Performance CX system with high torque (75Nm). Integrated 500Wh battery.


NEW !

- New model
- Integrated battery!!!
- Carbon frame
- New and more neutral kinematic, improved sensibility and progressiveness
- Dynamic control of rebound, optimized Grip control, more efficient and more comfort
- XX1 Eagle 12S, 11x50 drivetrain!!!
- Improved weight balance
- Boost
- Rock Shox RS1 carbon fork 120 mm

ACCESSORIES

Réf **BC-M0001** | Bottle Cage Moustache - Lateral Extraction

Frame	Frame JUST CARBON technology, Toray T700 fibres - Variable thickness hydroformed aluminium Rear Triangle - 140mm travel - Hidden Power Technology - Hollow alloy/carbon link - Tapered head tube - 27.5 Plus - Boost
Shock absorber	Specific MOUSTACHE Air Shock - 2-position Platform - Dynamic control of rebound, Grip Control Evo, for a better traction - Adjustable air pressure and rebound - 200x51
Fork	Rock Shox RS1 Carbon 120 mm - Remote Lock out - 1.5T - 15mm
Motor	BOSCH Performance CX 250W - 40/75 Nm - Assistance from 40 to 300% - 25 km/h - 1000 measurements/second - Powerful - Compact
Battery pack	Integrated BOSCH Li ION PowerPack 500 - 36v 13,8Ah - 500Wh - Full charge in 4.5 hours, 50% in 2 hours - 2,5 kg - 60 % minimum residual capacity after 30,000 km
Range	50 to 160 km at 20 km/h on a flat road (for a 70kg rider) - 30 to 80 km with varied use, depending on mode chosen, wind, gradient, etc.
Display	BOSCH Intuvia central with separate control unit - 5 modes (Eco, Tour, Sport, Turbo, Off) - Walk assist - Information available offline - USB port to recharge MP3 player, mobile phone, etc.
Drivetrain	Sram XX1 Eagle 12 speed, super wide capacity 14x10/50, more range
Shifter	Sram XX1 12S
Crankset	Exclusives Moustache reinforced and forged alloy cranks - 14T motor cog (=35)
Brakes	Magura MT6 hydraulic disc brakes, 180/180 diameter
Hubs	DT Swiss
Rims	DT Swiss XMC1200 Carbon Front 29" - Rear 27.5"
Tires	Schwalbe Nobby Nic Front 29 x 2.35 - Rear 27.5 x 2.35
Saddle	FIZIK Tundra 2 Mg
Seatpost	Drop Seat Post - Hydraulic, Remote lever - 31,6x315 travel 60 mm (S) - 31,6x380 travel 125 mm (M+L)
Handlebar	Alloy DB 760mm - Rise 12 mm - 6°up - 9° back - Stem CNC 60 mm
Pedals	Alloy, wide platform
Guarantee	5 years frame - 2 years fork, motor, battery (or 500 cycles) and accessories
Size	40 (1,55 to 1,70 m) - 44 (1,68 to 1,85 m) - 50 (1,83 to 1,95 m) approximately
Color	Carbon
Option	
Weight	19,9 kg (tubeless)
Price	



samedi 27 Race 6



samedi 27 Race 6

**BOSCH
PERFORMANCE
CX**

**500 WH
INTEGRATED**

**INTUVIA
DISPLAY**

**11S
14 X 11/46**

KEY POINTS

- 6061 T4 T6 alloy. Hollow alloy/carbon link. 160 mm rear travel. Variable thickness hydroformed tubes. Hidden Power Technology. Tapered head tube. 27.5 Plus. Boost.
- Virtual pivot point Race2 suspension design offering neutral pedaling conditions. New hollow alloy/carbon link, more progressiveness. 160mm travel.
- Specific MOUSTACHE Air Shock. Dynamic control of rebound, Grip Control Evo, for a better traction.
- Dual Air. Adjustable air pressure and rebound. 200x57.
- Suntour AION 35 RL fork- ebike optimized. Hydraulic with lock-out -160 mm travel. 27.5 Plus. Boost. 15 mm Q-lock.
- 27.5+ wheels for added comfort and grip. Welded rims, asymmetric, Moustache specific 35 mm, compatible with tubeless. Maxxis tires. Strong, grippy, and dynamic.
- Wide range drivetrains, with specific 14T motor cog and NX 11 speed, 11/46. Moustache reinforced and forged cranks.
- Front: Magura MT5 brakes 200 mm 4 pistons. Rear : MT4 brakes 180 mm 2pistons, powerful and resistant.
- Bosch Performance CX system with high torque (75Nm). 500Wh battery.


NEW !

- New model
- Integrated battery !!!
- Never-before-seen frame technology. Extreme hydroforming
- New and more neutral kinematic, improved sensibility and progressiveness
- Dynamic control of rebound, optimized Grip control, more efficient and more comfort
- NX 11S ,11x46 drivetrain!!!
- Improved weight balance
- Maxxis tires 27.5x2.8
- Boost
- SR fork 160 mm, ebike specific, reinforced stan-chions 35mm diameter
- Specific Moustache rims 35 mm, welded, asymmetric, easier tubeless mounting

ACCESSORIES

Réf **BC-M0001** | Bottle Cage Moustache - Lateral Extraction

Frame	6061 T4 T6 alloy - 160mm rear travel - Variable thickness hydroformed tubes - Hidden Power Technology - Hollow alloy/carbon link - Tapered head tube - 27.5 Plus - Boost
Shock absorber	Specific MOUSTACHE Air Shock - 2-position Platform - Dynamic control of rebound, Grip Control Evo, for a better traction - Dual Air - Adjustable air pressure and rebound - 200x57
Fork	Suntour AION 35 RL - ebike optimized - Hydraulic with lock-out - 160 mm travel - 27.5 Plus - Boost - 15 mm Q-lock
Motor	BOSCH Performance CX 250W - 40/75 Nm - Assistance from 40 to 300% - 25 km/h - 1000 measurements/second - Powerful - Compact
Battery pack	BOSCH Li ION PowerPack 500 Performance - 36v 13.4Ah - 500Wh - Full charge in 4.5 hours, 50% in 2 hours - 2,5 kg - 60 % minimum residual capacity after 30,000 km
Range	50 to 160 km at 20 km/h on a flat road (for a 70kg rider) - 30 to 80 km with varied use, depending on mode chosen, wind, gradient, etc.
Display	BOSCH Intuvia central with separate control unit - 5 modes (Eco, Tour, Sport, Turbo, Off) - Walk assist - Information available offline - USB port to recharge MP3 player, mobile phone, etc.
Drivetrain	Sram NX 11 speed 14x11/46, super wide capacity, bigger range!
Shifter	Sram NX 11S
Crankset	Exclusives Moustache reinforced and forged alloy cranks - 14T motor cog (=35)
Brakes	Magura hydraulic disc brakes - Front: MT5 200mm / Rear: MT4 180mm
Hubs	Alloy CNC with industrial bearings - Boost - Front 15 x110 - Rear 12 x 148
Rims	Exclusives Moustache 27.5" - 35mm - Asymmetric - Double wall alloy - Welded - Compatible with tubeless (with flap) - 32 holes
Tires	MAXXIS REKON 27.5x2.8 - Tubeless Ready - Dual density - Exo protection
Saddle	Velo ergonomic saddle
Seatpost	Drop Seat Post - JD YSP03, Remote lever - 31,6 x 380 travel 120 mm
Handlebar	Alloy DB 760 mm - Rise 12 mm - 6°up - 9° back - 3D forged stem 55 mm
Pedals	Alloy, wide platform
Guarantee	5 years frame - 2 years fork, motor, battery (or 500 cycles) and accessories
Size	40 (1,55 to 1,70 m) - 44 (1,68 to 1,85 m) - 50 (1,83 to 1,95 m) approximately
Color	Orange
Option	
Weight	22,8 kg (tubeless)
Price	



samedi 27 Race 8



samedi 27 Race 8

**BOSCH
PERFORMANCE
CX**

**500 WH
INTEGRATED**

**INTUVIA
DISPLAY**

**11S
14 X 11/46**

KEY POINTS

- 6061 T4 T6 alloy. Hollow alloy/carbon link. 160 mm travel. Variable thickness hydroformed tubes. Hidden Power Technology. Tapered head tube. 27.5 Plus. Boost.
- Virtual pivot point Race2 suspension design offering neutral pedaling conditions. New hollow alloy/carbon link, more progressiveness. 160mm travel.
- Rock Shox Monarch Plus RC3 Debon air shock absorbers 200x57.
- Fox 36 Float Performance fork with 160 mm travel. ebike optimized. 27.5 Plus. 15mm Boost.
- 27.5+ wheels for added comfort and grip. Welded rims, asymmetric, Moustache specific 35 mm, compatible with tubeless. Maxxis tires. Strong, grippy, and dynamic.
- Wide range drivetrains, with specific 14T motor cog and Sram GX 11Speed, 11/46. Moustache reinforced and forged cranks.
- Front: Magura MT5 brakes 200 mm 4 pistons. Rear : MT4 brakes 180 mm 2 pistons, powerful and resistant.
- Bosch Performance CX system with high torque (75Nm). 500Wh battery.


NEW !

- New model
- Integrated battery !!!
- Never-before-seen frame technology. Extreme hydroforming
- New and more neutral kinematic, improved sensibility and progressiveness
- Shock absorber Rock Shox Monarch Plus RC3 Debon air
- GX 11S, 11x46 drivetrain!!!
- Improved weight balance
- Maxxis tires 27.5x2.8
- Boost
- New Fox 36 Performance fork, 160 mm, ebike optimized
- Specific Moustache rims 35 mm, welded, asymmetric, easier tubeless mounting

ACCESSORIES

Réf **BC-M0001** | Bottle Cage Moustache - Lateral Extraction

Frame	6061 T4 T6 alloy - 160mm rear travel - Variable thickness hydroformed tubes - Hidden Power Technology - Hollow alloy/carbon link - Tapered head tube - 27.5 Plus - Boost
Shock absorber	Rock Shox Monarch Plus RC3 Debon air 200x57
Fork	Fox 36 Float Performance 160 mm - ebike optimized - 27.5 Plus - 15mm Boost
Motor	BOSCH Performance CX 250W - 40/75 Nm - Assistance from 40 to 300% - 25 km/h - 1000 measurements/second - Powerful - Compact
Battery pack	BOSCH Li ION PowerPack 500 Performance - 36v 13.4Ah - 500Wh - Full charge in 4.5 hours, 50% in 2 hours - 2,5 kg - 60 % minimum residual capacity after 30,000 km
Range	50 to 160 km at 20 km/h on a flat road (for a 70kg rider) - 30 to 80 km with varied use, depending on mode chosen, wind, gradient, etc.
Display	BOSCH Intuvia central with separate control unit - 5 modes (Eco, Tour, Sport, Turbo, Off) - Walk assist - Information available offline - USB port to recharge MP3 player, mobile phone, etc.
Drivetrain	Sram GX 11 speed 14x11/46, super wide capacity, more range
Shifter	Sram GX 11V
Crankset	Exclusives Moustache reinforced and forged alloy cranks - 14T motor cog (=35)
Brakes	Magura hydraulic disc brakes - Front: MT5 200mm / Rear: MT4 180mm
Hubs	Alloy CNC with industrial bearings - Boost - Front 15 x110 - Rear 12 x 148
Rims	Exclusives Moustache 27.5" - 35mm - Asymmetric - Double wall alloy - Welded - Compatible with tubeless (with flap) - 32 holes
Tires	MAXXIS REKON 27.5x2.8 - Tubeless Ready - Dual density - Exo protection
Saddle	Velo ergonomic saddle
Seatpost	Drop Seat Post - JD YSP03, Remote lever - 31,6 x 380 travel 120 mm
Handlebar	Alloy DB 760 mm - Rise 12 mm - 6°up - 9° back - 3D forged stem 55 mm
Pedals	Alloy, wide platform
Guarantee	5 years frame - 2 years fork, motor, battery (or 500 cycles) and accessories
Size	40 (1,55 to 1,70 m) - 44 (1,68 to 1,85 m) - 50 (1,83 to 1,95 m) approximately
Color	Matt black
Option	
Weight	22,8 kg (tubeless)
Price	



samedì 27 Race 9



samedi 27 Race 9

**BOSCH
PERFORMANCE
CX**

**500 WH
INTEGRATED**

**INTUVIA
DISPLAY**

**11S
14 X 11/46**

KEY POINTS

- Frame **JUST CARBON** technology, Toray T700 fibres. Variable thickness hydroformed aluminium Rear Triangle. Hollow alloy/carbon link. 160 mm travel. Hidden Power Technology. Tapered head tube. 27.5 Plus. Boost.
- Virtual pivot point Race2 suspension design offering neutral pedaling conditions. New hollow alloy/carbon link, more progressiveness. 160mm travel.
- Rock Shox Monarch Plus RC3 Debon air shock absorbers 200x57.
- Fox 36 Float Performance fork with 160 mm travel. ebike optimized. 27.5 Plus. 15mm Boost.
- 27.5+ wheels for added comfort and grip. Welded rims, asymmetric, Moustache specific 35 mm, compatible with tubeless. Maxxis wheels: grip, solid and dynamic.
- Wide range drivetrains, with specific 14T motor cog and XO1 11 speed, 11/46. Moustache reinforced and forged cranks.
- Sram Guide RE brakes 200/200, spécifique ebike, powerful and resistant.
- Bosch Performance CX system with high torque (75Nm). 500Wh battery.


NEW !

- New model
- Integrated battery !!!
- Carbon frame.
- New and more neutral kinematic, improved sensibility and progressiveness
- Shock absorber Rock Shox Monarch Plus RC3 Debon air
- XO1 11S, 11x46 drivetrain!!!
- Improved weight balance
- Maxxis tires 27.5x2.8
- Boost
- New Fox 36 Performance fork, 160 mm, ebike optimized
- Specific Moustache rims 35 mm, welded, asymmetric, easier tubeless mounting

ACCESSORIES

Réf **BC-M0001** | Bottle Cage Moustache - Lateral Extraction

Frame	Frame JUST CARBON technology, Toray T700 fibres - Variable thickness hydroformed aluminium Rear Triangle - Hollow alloy/carbon link - 160 mm travel - Hidden Power Technology - Tapered head tube - 27.5 Plus - Boost
Shock absorber	Rock Shox Monarch Plus RC3 Debon air 200x57
Fork	Fox 36 Float Performance 160 mm - ebike optimized - 27.5 Plus - 15mm Boost
Motor	BOSCH Performance CX 250W - 40/75 Nm - Assistance from 40 to 300% - 25 km/h - 1000 measurements/second - Powerful - Compact
Battery pack	BOSCH Li ION PowerPack 500 Performance - 36v 13.4Ah - 500Wh - Full charge in 4.5 hours, 50% in 2 hours - 2,5 kg - 60 % minimum residual capacity after 30,000 km
Range	50 to 160 km at 20 km/h on a flat road (for a 70kg rider) - 30 to 80 km with varied use, depending on mode chosen, wind, gradient, etc.
Display	BOSCH Intuvia central with separate control unit - 5 modes (Eco, Tour, Sport, Turbo, Off) - Walk assist - Information available offline - USB port to recharge MP3 player, mobile phone, etc.
Drivetrain	Sram XO1 11 speed 14x11/46, super wide capacity, bigger range!
Shifter	Sram GX 11V
Crankset	Exclusives Moustache reinforced and forged alloy cranks - 14T motor cog (=35)
Brakes	Sram Guide RE hydraulic disc brakes, 200/200 diameter
Hubs	Alloy CNC with industrial bearings - Boost - Front 15 x110 - Rear 12 x 148
Rims	Exclusives Moustache 27.5" - 35mm - Asymmetric - Double wall alloy - Welded - Compatible with tubeless (with flap) - 32 holes
Tires	MAXXIS REKON 27.5x2.8 - Tubeless Ready - Dual density - Exo protection
Saddle	FIZIK Tundra 2 Mg
Seatpost	Drop Seat Post - Hydraulic, Remote lever - 31,6 x 380 travel 125 mm
Handlebar	Alloy DB 760 mm - Rise 12 mm - 6°up - 9° back - Stem CNC 50 mm
Pedals	Alloy, wide platform
Guarantee	5 years frame - 2 years fork, motor, battery (or 500 cycles) and accessories
Size	40 (1,55 to 1,70 m) - 44 (1,68 to 1,85 m) - 50 (1,83 to 1,95 m) approximately
Color	Carbon
Option	
Weight	21,5 kg (tubeless)
Price	



same di 27.5 Down 5



samedi 27.5 Down 5

**BOSCH
PERFORMANCE
CX**

500 WH

**INTUVIA
DISPLAY**

**10S
14 X 11/42**

KEY POINTS

- 6061 T4 T6 alloy. Extruded variable thickness hydroformed tubes. Optimized weight balance. Tapered head tube. Forged aluminium link.
- Adjustable travel: 170 or 195 mm for DH riding. Virtual pivot point suspension design offering neutral and efficient pedaling conditions.
- Rock Shox Kage RC shock absorbers. 240x76mm.
- Rock Shox Yari RC fork with 180 mm travel. Motion Control. Solo Air. 27.5. 15mm Boost. Maxle Ultimate.
- Wide range drivetrains, with specific 14T motor cog and Sram 10S, 11/42. Moustache reinforced and forged cranks.
- Magura MT5 brakes 200/200 mm, 4 pistons, very powerful et resistant.
- Bosch Performance CX system with high torque (75Nm) ! 500Wh battery.


NEW !

- New Continental Baron tires
- New Moustache reinforced cranks

ACCESSORIES

Réf SA-TAO__ | Sticker Set for Samedi 27.5 Down (Blue, Green, Orange, Red, Yellow, Magenta)

Frame	6061 T4 T6 alloy - 170/195mm rear travel - Extruded variable thickness hydroformed tubes - Optimized weight balance - Tapered head tube
Schock absorber	Rock Shox Kage RC - 240x76mm
Fork	Rock Shox Yari RC 180 mm - Boost 27.5 - 1.5T - 15mm
Motor	BOSCH Performance CX 250W - 40/75 Nm - Assistance from 40 to 300% - 25 km/h - 1000 measurements/second - Powerful - Compact
Battery pack	BOSCH Li iON PowerPack 500 Performance - 36v 13.4Ah - 500Wh - Full charge in 4.5 hours, 50% in 2 hours - 2,5 kg - 60 % minimum residual capacity after 30,000 km
Range	40 to 120 km at 20 km/h on a flat road (for a 70kg rider) - 30 to 70 km with varied use, depending on mode chosen, wind, gradient, etc.
Display	BOSCH Intuvia central with separate control unit - 5 modes (Eco, Tour, Sport, Turbo, Off) - Walk assist - Information available offline - USB port to recharge MP3 player, mobile phone, etc.
Drivetrain	Sram GX 10 speed 14x11/42, super wide capacity, more range
Shifter	Sram GX 10V
Crankset	Exclusives Moustache reinforced forged alloy cranks / 14T motor cog (=35)
Brakes	Magura MT5, 4 pistons hydraulic disc brakes, 200/200 diameter
Hubs	Alloy CNC with industrial bearings - Front 15 mm - Rear 12x142mm
Rims	Alex MD27 - 27.5" - Double wall alloy - Reinforcement eyelets - 32 holes - Compatible with tubeless (with flap)
Tires	Continental Baron - 27.5 x 2.4
Saddle	Velo ergonomic saddle
Seatpost	Drop Seat Post - Hydraulic, Remote lever - 31,6x315 travel 60 mm (S) - 31,6x380 travel 125 mm (L)
Handlebar	Alloy DB 780 mm - Rise 12 mm - 5°up - 9° back - Alloy CNC Stem 45 mm
Pedals	Alloy, wide platform
Guarantee	5 years frame - 2 years fork, motor, battery (or 500 cycles) and accessories
Size	43 (1.55 to 1.80 m) - 48 (1.80 to 1.95 m)
Color	Black with custom stickers
Option	
Weight	24,6 kg
Price	



same di 27.5 Down 7



samedi 27.5 Down 7

**BOSCH
PERFORMANCE
CX**

500 WH

**INTUVIA
DISPLAY**

**10S
14 X 11/42**

KEY POINTS

- 6061 T4 T6 alloy. Extruded variable thickness hydroformed tubes. Optimized weight balance. Tapered head tube. Forged aluminium link.
- Adjustable travel: 170 or 195 mm for DH riding. Virtual pivot point suspension design offering neutral and efficient pedaling conditions.
- Rock Shox Vivid Air shock absorbers. 240x76mm.
- Rock Shox Lyric RC fork with 180 mm travel. Motion Control. Solo Air. 27.5. 15mm Boost. Maxle Ultimate.
- Wide range drivetrains, with specific 14T motor cog and Sram XO1 11 speed, 10/42. Moustache reinforced and forged cranks.
- Magura MT5 brakes 200/200 mm, 4 pistons, very powerful et resistant.
- Bosch Performance CX system with high torque (75Nm) ! 500Wh battery.

NEW !

- New Continental Baron tires
- New Moustache reinforced cranks

ACCESSORIES

Réf **SA-TAO__** | Sticker Set for Samedi 27.5 Down (Blue, Green, Orange, Red, Yellow, Magenta)

Frame	6061 T4 T6 alloy - 170/195mm rear travel - Extruded variable thickness hydroformed tubes - Optimized weight balance - Tapered head tube
Shock absorber	Rock Shox Vivid Air - 240x76mm
Fork	Rock Shox Lyric RC 180 mm - Boost 27.5 - 1.5T - 15mm
Motor	BOSCH Performance CX 250W - 40/75 Nm - Assistance from 40 to 300% - 25 km/h - 1000 measurements/second - Powerful - Compact
Battery pack	BOSCH Li iON PowerPack 500 Performance - 36v 13.4Ah - 500Wh - Full charge in 4.5 hours, 50% in 2 hours - 2,5 kg - 60 % minimum residual capacity after 30,000 km
Range	40 to 120 km at 20 km/h on a flat road (for a 70kg rider) - 30 to 70 km with varied use, depending on mode chosen, wind, gradient, etc.
Display	BOSCH Intuvia central with separate control unit - 5 modes (Eco, Tour, Sport, Turbo, Off) - Walk assist - Information available offline - USB port to recharge MP3 player, mobile phone, etc.
Drivetrain	Sram XO1 carbon 11 speed 14x10/42, super wide capacity, more range
Shifter	Sram GX 11V
Crankset	Exclusives Moustache reinforced forged alloy cranks / 14T motor cog (=35)
Brakes	Magura MT5, 4 pistons hydraulic disc brakes, 200/200 diameter
Hubs	Alloy CNC with industrial bearings - Front 15 mm - Rear 12x142mm
Rims	Alex MD27 - 27.5" - Double wall alloy - Reinforcement eyelets - 32 holes - Compatible with tubeless (with flap)
Tires	Continental Baron - 27.5 x 2.4
Saddle	FIZIK Tundra 2 Mg
Seatpost	Drop Seat Post - Hydraulic, Remote lever - 31,6x315 travel 60 mm (S) - 31,6x380 travel 125 mm (L)
Handlebar	Alloy DB 780 mm - Rise 12 mm - 5°up - 9° back - Alloy CNC Stem 45 mm
Pedals	Alloy, wide platform
Guarantee	5 years frame - 2 years fork, motor, battery (or 500 cycles) and accessories
Size	43 (1.55 to 1.80 m) - 48 (1.80 to 1.95 m)
Color	Black with custom stickers
Option	
Weight	24 kg
Price	